


# COMMERCIAL GAS VALVES

REMANUFACTURED REPLACEMENTS FOR ROBERTSHAW 700 SERIES

NEW  
PRODUCT  
LINE



120 VAC  
ACTUATOR

RETURN CORES  
FOR CASH OR  
CREDIT



REFERENCE O.E.M. NAME	REFERENCE O.E.M. PART NO.	FACTORY MODEL NO.	STOCK NUMBER	INLET	OUTLET	MAGNET TYPE	COMMENTS
MARKET FORGE	10-6472	7000 BER-120	<b>C2510-001</b>	3/4" NPT	3/4" NPT	THERMO-COUPLE	
PITCO	P504-5657	7000 BER-120	<b>C2510-001</b>	3/4" NPT	3/4" NPT	THERMO-COUPLE	
SOUTHBEND	1164804 1165086 1161439 PE-138	7000 BER-120	<b>C2510-001</b>	3/4" NPT	3/4" NPT	THERMO-COUPLE	
VULCAN HART	840126-11 840126-12 840343-1 840343-2 40343-A01 40343-A02 40126-11 40126-12	7000 BER-120	<b>C2510-003</b>	1/2" NPT	1/2" NPT	THERMO-COUPLE	
PITCO	P504-5650	7000 BER-120	<b>C2510-003</b>	1/2" NPT	1/2" NPT	THERMO-COUPLE	
FRYMASTER	806-1452 806-1452SP 807-0308	7000 BMSER-120	<b>C2510-002</b>	3/4" NPT	3/4" NPT	THERMO-PILE (SLOTTED)	
DEAN	1143	7000 BER-120	<b>C2510-001</b>	3/4" NPT	3/4" NPT	THERMO-COUPLE	

## THERMOCOUPLES

\* EASY INSTALLATION \* UNIVERSAL ADAPTER \* STAINLESS STEEL TIP FOR LONG LIFE  
MFG. P/N: 36" - Q340A1090      72" - Q340A1116

**STOCK NUMBER 11196 (36")      11197 (72")**

## THERMOPILES

\* 750 MILLIVOLT \* TWO DIFFERENT STYLES

MFG. P/N: 1950-001 TWO LEAD CONNECTION      -      1951-001 COAXIAL CONNECTION

**STOCK NUMBER 11198 (TWO LEAD)      11199 (COAXIAL)**

**KNOB (ON - PILOT- OFF)  
REGULATOR COVER PLATE**


**STOCK NUMBER 24112  
STOCK NUMBER 10302**

\* USE REGULATOR COVER PLATE STOCK NUMBER: 10302 TO CONVERT REGULATED GAS VALVES TO NONREGULATED TYPE. USE OF SEPARATE REGULATOR MAY BE REQUIRED.

# COMMERCIAL GAS VALVES

REMANUFACTURED REPLACEMENTS FOR ROBERTSHAW 700 SERIES

**NEW  
PRODUCT  
LINE**




**RETURN CORES  
FOR CASH OR  
CREDIT**



REFERENCE O.E.M. NAME	REFERENCE O.E.M. PART NO.	FACTORY MODEL NO.	STOCK NUMBER	INLET	OUTLET	MAGNET TYPE	THERMOPILE PART NUMBER
DEAN	1896	7000 BMVR	<b>C2540-006</b>	1/2" NPT	3/4" NPT	THERMO-PILE	SIDE OUTLET 1/2" PIPE
FRYMASTER	807-0755 807-0756 807-0115 807-0014	7000 BMVR	<b>C2540-003</b>	3/4" NPT	3/4" NPT	THERMO-PILE	
GE/HOBART	353271-1	7000 BMVR	<b>C2540-003</b>	3/4" NPT	3/4" NPT	THERMO-PILE	
KEATING	004044 P06066L 002552 H00300H	7000 BMVR	<b>C2540-003</b>	3/4" NPT	3/4" NPT	THERMO-PILE	
VULCAN-HART	410841-22 110841-22	7000 BMVR	<b>C2540-003</b>	3/4" NPT	3/4" NPT	THERMO-PILE	
VARIOUS		7000 BMVR	<b>C2540-005</b>	1/2" NPT	3/4" NPT	THERMO-PILE	
VARIOUS		7000 BMVR	<b>C2540-001</b>	1/2" NPT	1/2" NPT	THERMO-PILE	

**NEW  
PRODUCT  
LINE**



**RETURN CORES  
FOR CASH OR  
CREDIT**



REFERENCE O.E.M. NAME	REFERENCE O.E.M. PART NO.	FACTORY MODEL NUMBER	STOCK NUMBER	INLET	OUTLET	MAGNET TYPE	THERMOPILE PART NUMBER
FRYMASTER	807-0428	7000 BMSER	<b>C2520-001</b>	1/2" NPT	1/2" NPT	THERMO-PILE	


**SEE ACCESSORIES ON PAGE 11**

\* USE REGULATOR COVER PLATE STOCK NUMBER: 10302 TO CONVERT REGULATED GAS VALVES TO NONREGULATED TYPE. USE OF SEPARATE REGULATOR MAY BE REQUIRED.


# COMMERCIAL GAS VALVES

REMANUFACTURED REPLACEMENTS FOR ROBERTSHAW 700 SERIES

NEW  
PRODUCT  
LINE




RETURN CORES  
FOR CASH OR  
CREDIT



REFERENCE O.E.M. NAME	REFERENCE O.E.M. PART NO.	FACTORY MODEL NO.	STOCK NUMBER	INLET	OUTLET	MAGNET TYPE	THERMOPILE PART NUMBER
PITCO	P504-5644 P504-5642	7000 BMS-GOR	<b>C2550-001</b>	1/2" NPT	1/2" NPT	THERMOPILE (SLOTTED)	
SOUTHBEND	1053995 1053996 1053997	7000 BMS-GOR	<b>C2550-001</b>	1/2" NPT	1/2" NPT	THERMOPILE (SLOTTED)	
VULCAN HART	410841-1 410841-2 110841-1 110841-2	7000 BMS-GOR	<b>C2550-001</b>	1/2" NPT	1/2" NPT	THERMOPILE (SLOTTED)	
		7000 BGOR	<b>C2550-003</b>	3/4" NPT	3/4" NPT	THERMO-COUPLE (SLOTTED)	

NEW  
PRODUCT  
LINE



RETURN CORES  
FOR CASH OR  
CREDIT



REFERENCE O.E.M. NAME	REFERENCE O.E.M. PART NO.	FACTORY MODEL NO.	STOCK NUMBER	INLET	OUTLET	MAGNET TYPE	COMMENTS
FRYMASTER	807-1033 807-0870 807-0869	7000 BDER-S7A*	<b>C2700-001</b>	1/2" NPT	1/2" NPT		INTERMITTENT PILOT IGNITION "D" TYPE

**SEE ACCESSORIES ON PAGE 11**

- USE REGULATOR COVER PLATE STOCK NUMBER: 10302 TO CONVERT REGULATED GAS VALVES TO NON-REGULATED TYPE. USE OF SEPARATE REGULATOR MAY BE REQUIRED.

\* SLOW OPENING VALVE 0 - 5 SECONDS TO FULL FLOW