


ACCESSORIES

AK3620-001

3/8" STUFFING BOX KIT


- NICKEL PLATED - TEFLON PACKING-
WILL FIT ALL CAPILLARIES WITH 3/8" DIAMETER BULB



AK3625-001

TANK ADAPTER KIT


- NICKEL PLATED - TEFLON PACKING-
DESIGNED TO ALLOW CAPILLARY TUBE TO BE INSERTED THROUGH THE
SIDE OF A FRYER TANK.



AP3600-003

MANIFOLD BLOCK OFF KIT

TEMPORARILY BLOCKS OFF GAS FLOW WHILE A REPLACEMENT
CONTROL IS LOCATED.



THERMOPILES

* 750 MILLIVOLT * TWO DIFFERENT STYLES
MFG. P/N: 1950-001 TWO LEAD CONNECTION - 1951-001 COAXIAL
CONNECTION
STOCK NUMBER 11198 (TWO LEAD) 11199 (COAXIAL)

THERMOCOUPLES

* EASY INSTALLATION * UNIVERSAL ADAPTER * STAINLESS STEEL TIP
FOR LONG LIFE
MFG. P/N: 36" - Q340A1090 72" - Q340A1116
STOCK NUMBER 11196 (36") 11197 (72")
KNOB (ON - PILOT- OFF) STOCK NUMBER 24112
REGULATOR COVER PLATE STOCK NUMBER 10302

TERN-EEZ™ VALVE GREASE

DESIGNED ESPECIALLY FOR OLD, USED VALVES ON COMMERCIAL AND DOMESTIC APPLIANCES

TERN-EEZ™



STOCK NUMBER AK3640-001 (2 1/2 OUNCE)

STOCK NUMBER AK3640-002 (1/2 OUNCE)

**NOW, YOU CAN BUY THE GREASE THAT WE USE IN
OUR REBUILDING PROCESS.**

YOU'VE TRIED THE REST, NOW TRY THE BEST.

1. DESIGNED ESPECIALLY FOR OLD, USED GAS VALVES.
2. TESTED PER ANSI Z21-1987 STANDARD (ON & OFF 5,000 CYCLES AT 250°F & 5,000 CYCLES AT 72°F).
3. DOES NOT SEPARATE UNDER NORMAL SHELF LIFE.
4. NO HAZARDOUS MATERIALS OR UNPLEASANT ODORS.
5. VALVO'S QUALITY SYSTEM FOLLOWS ISO 9002 AND AMERICAN STANDARD ANSI Q92-1987.

ACCESSORIES

BREAKAWAY FERRULES



1/8" TUBING	12 PER PKG	----	02351
3/16" TUBING	12 PER PKG	----	02313
1/4" TUBING	6 PER PKG	----	02352
3/8" TUBING	6 PER PKG	----	02314
7/16" TUBING	6 PER PKG	----	02291

COMPRESSION NUTS



1/8" COMP. NUTS	12 PER PKG		02429
3/16" COMP. NUTS	12 PER PKG		02330
1/4" COMP. NUTS	12 PER PKG		02430
3/8" COMP. NUTS	12 PER PKG		02431
7/16" COMP. NUTS	12 PER PKG		02323

FERRULES



1/8" TUBING	24 PER PKG	----	02432
3/16" TUBING	24 PER PKG	----	02231
1/4" TUBING	24 PER PKG	----	02208
3/8" TUBING	24 PER PKG	----	02207
7/16" TUBING	24 PER PKG	----	02322

TUBING PLUGS



1/8" TUBING	12 PER PKG	----	02238
3/16" TUBING	12 PER PKG	----	02295
1/4" TUBING	6 PER PKG	----	02455
3/8" TUBING	6 PER PKG	----	02427
7/16" TUBING	6 PER PKG	----	02428

PIPE PLUGS (RECESSED)



1/4" MALE PIPE HEX PLUG	----	02368
6 PER PKG		
3/8" MALE PIPE HEX PLUG	----	02369
6 PER PKG		

PIPE PLUGS (STANDARD)



1/8" MALE PIPE PLUG	12 PER PKG	02433
1/4" MALE PIPE PLUG	12 PER PKG	02278
3/8" MALE PIPE PLUG	6 PER PKG	02434
1/2" MALE PIPE PLUG	6 PER PKG	02435
3/4" MALE PIPE PLUG	3 PER PKG	02436

REDUCER FITTINGS



7/16" TUBE O.D. X 1/4" FEMALE PIPE I.D.		
6 PER PKG	-----	02235
USED FOR CONVERTING 7/16" THERMOSTATS AND SAFETIES TO 1/4" PIPE.		

REDUCER FITTING



7/16" TUBE O.D. X 3/8" TUBE I.D.		
6 PER PKG	-----	02269
USED FOR CONVERTING 7/16" THERMOSTATS AND SAFETIES TO 3/8" TUBE.		

REDUCER FITTING (COMMERCIAL)



3/8" MALE PIPE X FEMALE PIPE (NICKEL)		
6 PER PKG	-----	02258
USED FOR CONVERTING 3/8" PIPE STUFFING BOX TO 1/4" PIPE		

FLUSH BUSHING (COMMERCIAL)



1/2" MALE PIPE X 3/8" FEMALE PIPE		
6 PER PKG	-----	02438
USED FOR CONVERTING 1/2" THERMOSTATS AND SAFETIES TO 3/8" PIPE.		

FLUSH BUSHING (COMMERCIAL)



3/4" MALE PIPE X 1/2" FEMALE PIPE		
6 PER PKG	-----	02439
USED FOR CONVERTING 3/4" THERMOSTATS TO 1/2" PIPE		

INCREASER FITTING



3/8" TUBE O.D. X 7/16" TUBE I.D.		
6 PER PKG	-----	02347
USED FOR CONVERTING 3/8" THERMOSTATS AND SAFETIES TO 7/16" TUBE.		

INCREASER FITTING (COMMERCIAL)



1/4" MALE PIPE X 3/8" FEMALE PIPE (NICKEL)		
3 PER PKG	-----	02259
USED FOR CONVERTING 1/4" PIPE STUFFING BOX TO 3/8" PIPE		

BJ SERIES PILOT FITTING AND PLUG



PILOT PLUG (SLOTTED) LRGE THREAD		
12 PER PKG	-----	02440
FLUSH PLUG USED TO PLUG LARGE PILOT OUT-LET ON COMM'L AND DOM. CONTROLS		

ACCESSORIES

PILOT PLUG (SMALL THREADS)



12 PER PKG ——— 02441

USED FOR PLUGGING SMALL PILOT OUTLETS ON OLD STYLE BJ DOMESTIC CONTROLS

PILOT FITTING



3/16" PILOT FITTING (LARGE THREAD)

6 PER PKG ——— 02443

USED FOR CONVERTING LARGE PILOT OUTLET ON BJ TO 3/16"

PILOT FITTING



3/16" PILOT FITTING (SMALL THREAD)

2 PER PKG ——— 02444

USED FOR CONVERTING SMALL PILOT OUTLETS ON BJ TO 3/16"

NIPPLES



3/8" CLOSE PIPE NIPPLES

6 PER PKG ——— 02450

1/2" CLOSE PIPE NIPPLES

6 PER PKG ——— 02457

ADD ON PANEL NUT (NICKEL PLATED)



1 PER PKG ——— 25226

USED WHEN AN APPLIANCE REQUIRES A PANEL NUT AND THE REPLACEMENT CONTROL DOES NOT HAVE ONE.

INCREASER FITTING (COMMERCIAL)



1/4" MALE PIPE X 3/8" FEMALE PIPE (NICKEL)

3 PER PKG ——— 02259

USED FOR CONVERTING 1/4" PIPE STUFFING BOX TO 3/8" PIPE

REDUCER FITTING (COMMERCIAL)



3/8" MALE PIPE X 1/4" FEMALE PIPE (NICKEL)

6 PER PKG ——— 02258

USED FOR CONVERTING 3/8" STUFF. BOX TO 1/4"


KEATING STUFFING BOX



1/4" MALE PIPE X 5/16" O.D. TUBE (NICKEL PLATED)

1 PER PKG ——— 19019

FD BOTTOM HOUSING GASKET




FITS ALL FD CONTROLS

12 PER PKG ——— 08123

MAIN USE: REPLACEMENT OF FD THERMOSTAT WITHOUT DISTURBING PLUMBING FITTINGS.

FD TOP HOUSING GASKET




FITS ALL FD CONTROLS

12 PER PKG ——— 08122

MAIN USE: REPLACEMENT OF FD THERMOSTAT POWERHEAD WITHOUT REMOVING CONTROL FROM APPLIANCE.

CTS HOUSING GASKET




FITS ALL CTS THERMOSTATS

12 PER PKG ——— 08115

MAIN USE: REPLACEMENT OF CTS THERMOSTAT POWERHEAD WITHOUT REMOVING CONTROL FROM APPLIANCE.

DG HOUSING GASKET



FITS ALL DG THERMOSTATS

12 PER PKG ——— 08108

MAIN USE: REPLACEMENT OF DG THERMOSTAT POWERHEAD WITHOUT REMOVING CONTROL FROM APPLIANCE

DP HOUSING GASKET



FITS ALL DP THERMOSTATS

12 PER PKG ——— 08120

MAIN USE: REPLACEMENT OF DP THERMOSTAT POWERHEAD WITHOUT REMOVING CONTROL FROM APPLIANCE.

FLANGE GASKET



WIDE FLANGE GASKET (1 1/8" CENTER)

12 PER PKG ——— 08110

FITS: BJ, BJC, H/W OLD STYLE, WILCO AND MANY OTHERS.

ACCESSORIES

NARROW FLANGE GASKET (1 1/8" CENTER)



12 PER PKG ——— 08125

FITS: BJFMA, U DIRECT MANIFOLD MOUNT, H/W
COMPACT & OTHERS

FLANGE BOLT GASKETS



12 PER PKG ——— 08136

FOR ALL DIRECT MANIFOLD MOUNT CONTROLS.
ONE GASKET PER BOLT.

SPRING CLIP MOUNT GASKETS



12 PER PKG ——— 08137

FITS: UA & ELO SPRING CLIP MOUNT CONTROLS

FD CALIBRATION PLATE AND SCREWS



1 PER PKG ————— 25103

TERMINAL SCREWS FOR ELECTRIC CONTROLS



24 PER PKG ——— 13102

ORIFICE CAP



SIZE TO YOUR APPLICATION 3/8" - 27
UNS THREADS

6 PER PKG ——— 10144

EASY TO INSTALL BEZEL KIT



1 PER PKG ——— 25174

NO SLIPPAGE. FITS ALL RANGE PANELS. JUST SLIP
BEZEL OVER DIAL SHAFT AND AGAINST PANEL.
POSITION BRACKET IN BACK OF PANEL AND
INSTALL SCREW.

STEM EXTENSION ADAPTER



1 PER PKG ——— 10177

LENGTH: 3 1/2"

USED ON ANY GAS "D" STEM CONTROL.

BJ "D" STEM ADAPTER



1 PER PKG ——— 02449

LENGTH: 21/32"

FITS BJWA COMMERCIAL (MOST POPULAR USAGE)

SCREW TO QUICK CONNECT TERMINAL



12 PER PKG ——— 10214

ANGLE: 30 TERM. WIDTH: 1/4"
CONVERTS SCREW TERMINAL CONTROLS TO
SPADE TYPE TERMINAL

220 VOLT PILOT LIGHT



FITS ALL ROBERTSHAW ELECTRIC
CONTROLS

1 PER PKG ————— 11166

QUICK CONNECT TO SCREW TERMINAL



CONVERTS QUICK CONNECT TERMI-
NAL CONTROLS TO SCREW TERMINAL

12 PER PKG ————— 10215

MALE CONNECTORS



1/8" T x 1/8" MPT	-----	02452
3/16" T x 1/8" MPT	-----	02453
3/16" T x 1/4" MPT	-----	02454
1/4" T x 1/8" MPT	-----	02473
1/4" T x 1/4" MPT	-----	02456
1/4" T x 3/8" MPT	-----	02474
3/8" T x 1/8" MPT	-----	02458
3/8" T x 1/4" MPT	-----	02459
3/8" T x 3/8" MPT	-----	02460
7/16" T x 1/4" MPT	-----	02461

ACCESSORIES

MALE ELBOWS



1/8" T x 1/8" MPT -----	02462
3/16" T x 1/8" MPT-----	02463
3/16" T x 1/4" MPT-----	02464
1/4" T x 1/8" MPT -----	02465
1/4" T x 1/4" MPT -----	02466
1/4" T x 3/8" MPT -----	02467
3/8" T x 1/8" MPT -----	02468
3/8" T x 1/4" MPT -----	02469
3/8" T x 3/8" MPT -----	02470
7/16" T x 1/4" MPT -----	02471
7/16" T x 3/8" MPT -----	02472

REPLACEMENT DIAL FOR COMMERCIAL ELECTRIC THERMOSTATS

USED ON K, S, D1/D18, EA & GS
SERIES THERMOSTATS. 4-WAY DIAL



1 - 10 AND OFF -----	24147
100-200°F AND OFF -----	24148
100-450°F AND OFF -----	24149
200-550°F AND OFF -----	24150
200-400°F AND OFF -----	24151
60-250°F AND OFF -----	24152
300-650°F AND OFF -----	24158
200-400°F -----	24167

MOST O.E.M. DIALS CAN BE REPLACED

REPLACEMENT FOR FD COMMERCIAL DIALS




FDO 150-550°F 1-WAY -----	24101
FDO 150-550°F 4-WAY -----	24144
FDTO LOW-550°F 4-WAY -----	24145
FDH 300-650°F 4-WAY -----	24103



- EXACT REPLACEMENT
- NUMBERS ARE RECESSED AND PAINTED
- MATERIAL- HIGH TEMP. PHENOLIC

REPLACEMENT DIAL FOR MOST ROBERTSHAW & HARPER WYMAN GAS THERMOSTATS



BLACK TOP BURNER -----	24105
WARM-550°F & BROIL -----	24106
LOW-550°F & BROIL -----	24107

REPLACEMENT FOR DP & DG COMMERCIAL DIALS



DP & DG LOW-550°F -----	24104
-------------------------	-------

- EXACT REPLACEMENT
- RECESSED & PAINTED / HIGH TEMP. PHENOLIC

REPLACEMENT DIAL FOR BJC THERMOSTAT



LOW-550°F -----	24121
-----------------	-------

REPLACEMENT FOR BJWA & BJFMA




BJWA GRILL 100-450°F -----	24156
"D" STEM ADAPTER -----	02449



BJWA OVEN LOW-550°F -----	24157
BJWA STEAM TABLE 100-200°F --	24166
BJFMA OVEN 140-550°F -----	24165
"D" STEM ADAPTER -----	02449

REPLACEMENT DIAL FOR INFINITE SWITCH



LOW--HI -----	24122
---------------	-------

NEW ITEM