

DOMESTIC GAS THERMOSTATS

REMANUFACTURED REPLACEMENTS FOR ROBERTSHAW "U" SERIES

WITHIN THE TRADE, THERE IS A UNIVERSAL LETTER/MODEL DESIGNATION AS SHOWN BELOW:

A - HAS AN AUTOMATIC PILOT THAT ALWAYS STAYS LIT. NORMALLY USED IN CONJUNCTION WITH A UNI-LINE 4060 OR A REPCO 5300 SERIES SAFETY VALVE. THIS CONTROL WILL HAVE A SELECTOR KEY TO CHOOSE CORRECT STAND-BY PILOT GAS, WHICH READS AS FOLLOWS:

NAT (NATURAL GAS)

OFF (PILOT GAS OFF)

LP (LIQUID PROPANE GAS)

U - UNIVERSAL SERIES. ALL THESE MODEL DESIGNATE CODES START WITH THE LETTER "U".

N - DOES NOT HAVE AN AUTOMATIC PILOT, (FOR MATCH-LIT OVENS). THIS CONTROL WILL HAVE A BRASS PILOT AND A BRASS BYPASS ADJUSTMENT SCREW IN THE FRONT.

F - THE THERMOSTAT HAS FILTERED TOP BURNER PILOT OUTLETS.

UAD - IF THE LETTER "D" APPEARS THIRD OR MORE, IN SEQUENCE, CONTROL WILL HAVE TWO OVEN PILOT OUTLETS FOR A TWO TUBE PILOT.

H - HEAT MOTOR. OVEN COOKING SYSTEM WITH A PROGRAMMABLE TIMER AND MEAT PROBE.

M - MEAT PROBE. OVEN COOKING SYSTEM WITH A PROGRAMMABLE TIMER AND MEAT PROBE.

UD - CONTROL IS DESIGNED TO BE USED IN CONJUNCTION WITH A UNI-LINE 4060 OR REPCO S300 SERIES DIVERTER VALVE. THIS ONLY APPLIES WHEN THE "D" APPEARS AS THE SECOND LETTER IN SEQUENCE.

S - SWITCH. THIS CONTROL HAS A BROILER SWITCH LOCATED ON THE FRONT OF THE CONTROL.

ALL MODEL "U" OVEN THERMOSTATS COME WITH A DIAL

MODEL TYPE: "UNF" TEMPERATURE RANGE: (LOW 200°-500°F) CAP LENGTH: 42" - DISCONTINUED BY UNI-LINE

STOCK NUMBER: C1700-001

HORIZONTAL THERMOSTAT

OVEN PILOT
ADJUSTMENT

BYPASS
ADJUSTMENT

1/8" OR 3/16" TOP
BURNER PILOTS

TOP BURNER PILOT
ADJUSTMENT

3/16" OVEN PILOT

3/8" OR 7/16" MAIN
BURNER

FLANGE NIPPLE
MOUNT



MODEL TYPE: "UN" TEMPERATURE RANGE: (LOW 200°-500°F) CAP LENGTH: 42" - REF. UNI-LINE P/N: 4700-005

STOCK NUMBER: C1700-005

HORIZONTAL THERMOSTAT

OVEN PILOT
ADJUSTMENT

BYPASS
ADJUSTMENT

3/16" OVEN
PILOT

3/8" OR 7/16"
MAIN BURNER

FLANGE NIPPLE
MOUNT



MODEL TYPE: "UA" TEMPERATURE RANGE: (140°-550°F) CAP LENGTH: 42" - REF. UNI-LINE P/N: 4700-010
EXACT REPLACEMENT FOR: TAPPAN 722T052P02, 355T597501; ROPER: 560-263

STOCK NUMBER: C1700-010

HORIZONTAL THERMOSTAT

HEATER & CONSTANT
BURNING PILOT
ADJUSTMENT

3/16" HEATER PILOT

3/8" OR 7/16"
MAIN BURNER

FLANGE NIPPLE
MOUNT





DOMESTIC GAS THERMOSTATS

REMANUFACTURED REPLACEMENTS FOR ROBERTSHAW "U" SERIES

MODEL TYPE: "UAF" TEMPERATURE RANGE: (140°-550°F) CAP LENGTH: 42" UNI-LINE P/N: 4700-013
EXACT REPLACEMENT FOR: HARDWICK OC-010-104-99, OC-010-113-99

STOCK NUMBER: C1700-013



HORIZONTAL THERMOSTAT



MODEL TYPE: "UAF" TEMPERATURE RANGE: (140°-550°F) CAP LENGTH: 42" - REF. UNI-LINE P/N 4700-014
EXACT REPLACEMENT FOR: BROWN STOVE 180-24-122, MAGIC CHEF 13LT-280R, HARDWICK OC-010-021-99, TAPPAN 722-6013-P01

STOCK NUMBER: C1700-014


HORIZONTAL THERMOSTAT



MODEL TYPE: "UAF" TEMPERATURE RANGE: (140°-550°F) CAP LENGTH: 42" - REF. UNI-LINE P/N: 4700-015
EXACT REPLACEMENT FOR: MAGIC CHEF 13LT-100RT, 13LT-1050R, 13LT1030R, 13LT-930R, 1888-249, 1888-299

STOCK NUMBER: C1700-015


HORIZONTAL THERMOSTAT



MODEL TYPE: "UAF" TEMPERATURE RANGE: (140°-550°F) CAP LENGTH: 42" - REF. UNI-LINE P/N: 4700-017
EXACT REPLACEMENT FOR: MAGIC CHEF 13LT-280, 410R, 411R, 419R, 916R, 930R, 1888-301, 305, 325, 329, 337, 364

STOCK NUMBER: C1700-017


HORIZONTAL THERMOSTAT



MODEL TYPE: "UHF" TEMPERATURE RANGE: (140°-550°F) CAP LENGTH: 42" - REF. UNI-LINE P/N: 4700-031
EXACT REPLACEMENT FOR: ATHENS 0367-034, BROWN STOVE 180-2A-123, 180-2A-79 CALORIC 94591, 95440, 95442 HARDWICK OC-010-022-99, OC-010-032-99 MAGIC CHEF: 13LT-1530PC, 13LT-280-PC, 13LT-930-RPC, 1888-300, 1888-302; TAPPAN 722-6013-P02, 722-T029-P01, 722-T031-P02

STOCK NUMBER: C1700-031

HORIZONTAL THERMOSTAT



DOMESTIC GAS THERMOSTATS


REMANUFACTURED REPLACEMENTS FOR ROBERTSHAW "U" SERIES

MODEL TYPE: "UH" TEMPERATURE RANGE: (140°-550°F) CAP LENGTH: 42" - REF. UNI-LINE P/N: 4700-033
EXACT REPLACEMENT FOR: CROWN 520500-A, 520600-B

STOCK NUMBER: C1700-033



HORIZONTAL THERMOSTAT



FLANGE NIPPLE MOUNT




MODEL TYPE: "UHF" TEMPERATURE RANGE: (140°-550°F) CAP LENGTH: 42" - REF. UNI-LINE P/N: 4700-037
EXACT REPLACEMENT FOR: HARDWICK OC-010-105-99, OC-010-114-99

STOCK NUMBER: C1700-037



HORIZONTAL THERMOSTAT




FLANGE NIPPLE MOUNT




MODEL TYPE: "UAFD" TEMPERATURE RANGE: (140°-550°F) CAP LENGTH: 42" - REF. UNI-LINE P/N: 4700-054
EXACT REPLACEMENT FOR: MAGIC CHEF 1888-216, 13LT-300R

STOCK NUMBER: C1700-054



HORIZONTAL THERMOSTAT



DIRECT MOUNT




MODEL TYPE: "UAF" TEMPERATURE RANGE: (140°-550°F) CAP LENGTH: 42" - REF. UNI-LINE P/N: 4700-153
EXACT REPLACEMENT FOR: MAGIC CHEF 1888-343, 358, 367, 397, 398, 13LT-111R, 117R2, 316R, 615R, 616R

STOCK NUMBER: C1700-153



HORIZONTAL THERMOSTAT



SPRING CLIP MOUNT



RECYCLING MAKES CENTS

RETURN CORES
FOR CASH OR
CREDIT



RETURN CORES
FOR CASH OR
CREDIT



DOMESTIC GAS THERMOSTATS

REMANUFACTURED REPLACEMENTS FOR ROBERTSHAW "U" SERIES

MODEL TYPE: "UN" TEMPERATURE RANGE: (200°-550°F) CAP LENGTH: 42"

ORDER STOCK NUMBER: C1700-050

VERTICAL THERMOSTAT





MODEL TYPE: "UAF" TEMPERATURE RANGE: (140°-550°F) CAP LENGTH: 42" - REF. UNI-LINE P/N 4700-020

EXACT REPLACEMENT FOR: ATHENS P567-026, P367-031, P367-037, P367-042, P367-056; BROWN STOVE 73G2967; ROPER 560-299

TAPPAN 722-L032-P01, 722-L035-P01, 722-L037-P01, 722-L045-P01, 722-T026-P01, 722-T026-P02

ORDER STOCK NUMBER: C1700-020

VERTICAL THERMOSTAT





MODEL TYPE: "UAFD" TEMPERATURE RANGE: (140°-550°F) CAP LENGTH: 42" - REF. UNI-LINE P/N: 4700-026

EXACT REPLACEMENT FOR: MAGIC CHEF 13LT-100RT, 13LT-110R, 1888-211, 1888-273, 1888-283

ORDER STOCK NUMBER: C1700-026

VERTICAL THERMOSTAT





MODEL TYPE: "UHF" TEMPERATURE RANGE: (140°-550°F) CAP LENGTH: 42" - REF. UNI-LINE P/N: 4700-041

EXACT REPLACEMENT FOR: ATHENS P367-024, P367-028, P367-038, P367-041, P367-055; BOSTON STOVE 73G2966; CALORIC 94522; ROPER 560-301

TAPPAN 722-L033-P01, P03, 722-L035-P02, 722-L036-P01, P02, 722-L037-P02, 722-L046-P01, 722-L028-P01, P02

ORDER STOCK NUMBER: C1700-041

VERTICAL THERMOSTAT



MODEL TYPE: "UAF" TEMPERATURE RANGE: (140°-550°F) CAP LENGTH: 42" - REF. UNI-LINE P/N: 4700-160

EXACT REPLACEMENT FOR: MAGIC CHEF 1888-380, 13LT-3327, 3367, 332R; ROPER 288187

ORDER STOCK NUMBER: C1700-160

VERTICAL THERMOSTAT



DOMESTIC GAS THERMOSTATS

REMANUFACTURED REPLACEMENTS FOR ROBERTSHAW "U" SERIES

MODEL TYPE: "UA" TEMPERATURE RANGE: (140°-550°F) CAP LENGTH: 42" REF, UNI-LINE P/N: 4700-162
EXACT REPLACEMENT FOR: ATHENS P-367-26

STOCK NUMBER: C1700-162

VERTICAL THERMOSTAT



NOT TAPPED




FLANGE NIPPLE MOUNT



MODEL TYPE: "UHF" TEMPERATURE RANGE: (140°-550°F) CAP LENGTH: 42" - REF. UNI-LINE P/N 4700-174
EXACT REPLACEMENT FOR: ROPER 302759, 288402, 303125; MAGIC CHEF 1888-382, 384


STOCK NUMBER: C1700-174

VERTICAL THERMOSTAT



120V HEAT MOTOR


1/8" & 3/16" TOP BURNER PILOTS



SPRING CLIP MOUNT




REMANUFACTURED REPLACEMENTS FOR ROBERTSHAW "ELO" & HARPER WYMAN 5338, 5335, 5324 AND 5325 SERIES




MODEL "ELO"

STOCK NUMBER	TYPE MOUNT	TYPE IGNITION	OUTLETS	
			MAIN	PILOT
C1750-001	FLANGE NIPPLE	CONSTANT PILOT	1/8" NPT	1/16" NPT
C1750-002	SPRING CLIP	CONSTANT PILOT	1/8" NPT	1/16" NPT
C1750-003	FLANGE NIPPLE	SPARK	1/8" NPT	1/16" NPT
C1750-004	SPRING CLIP	SPARK	1/8" NPT	1/8" NPT



MODEL "5338 & 5335"

STOCK NUMBER	REFERENCE HARPER P/N	OUT-LETS	MOUNT POSITION	ADJ SCR	SHFT LGH
C1800-001	5338, 5340, 5347, 5348	2	HORZ.	2	2 1/2"
C1800-002	5335, 5336, 5337, 5345, 5346	1	HORZ.	1	2 1/2"
C1800-MSL	ALL OTHERS	1 or 2			



MODEL "5324 & 5325"

STOCK NUMBER	REFERENCE HARPER P/N	SEND IN FOR REBUILDING
C1900-MSL	5324 / 5325	