



DOMESTIC GAS THERMOSTATS

REMANUFACTURED REPLACEMENTS FOR HARPER WYMAN GST THERMOSTATS GENERATION IV



VERTICAL



HORIZONTAL

FEATURES:

1. TEMPERATURE RANGE 140°F-550°F / BROIL
2. LOCKING (PUSH TO TURN) CONSTRUCTION
3. 42" CAPILLARY
4. SELECTOR FOR LP OR NATURAL GAS
5. UNIVERSAL KNOB
6. 3/8" TUBE MAIN GAS OUTLET
7. 3/16" TUBE OVEN PILOT OUTLET
8. EXACT O.E.M. REPLACEMENTS

IDENTIFICATION CHART


OUR P/N PREFIX	HARPER P/N PREFIX	BODY STYLE	MOUNT	PILOT
C1990	5390	HORIZONTAL	FLANGE	STANDARD GAS
C1991	5391	VERTICAL	FLANGE	STANDARD GAS
C1992	5392	HORIZONTAL	BOLT-THRU	STANDARD GAS
C1993	5393	VERTICAL	BOLT-THRU	STANDARD GAS
C1994	5394	HORIZONTAL	FLANGE	SPARK
C1995	5395	VERTICAL	FLANGE	SPARK
C1996	5396	HORIZONTAL	BOLT-THRU	SPARK
C1997	5397	VERTICAL	BOLT-THRU	SPARK
C1963*	5363	VERTICAL	BOLT-THRU	STANDARD GAS
C1962*	5362	HORIZONTAL	BOLT-THRU	STANDARD GAS

* CONTROL HAS 1/8" NPT TOP BURNER PILOT OUTLET


HARPER P/N	O.E.M. NAME	O.E.M. P/N	STOCK NUMBER	BODY STYLE	MOUNT	STEM		DIAL A or B	IGNITION TYPE	COMMENTS
						FLAT	LGH			
5390G0001	HARDWICK	OC-010-143-99	C1990-001	HORZ.	FLANGE	DOWN	2"	B	STANDARD	
5390G0003	GLENWOOD GLENWOOD GE/HOTPOINT	74-54-3-00 74543-00 WB21X0374	C1990-003	HORZ.	FLANGE	UP	2"	A	STANDARD	
5390G0005	SLATTERY SLATTERY SLATTERY SLATTERY MAGIC CHEF	7920T 7902T 040-08 040-09 183040	C1990-005	HORZ.	FLANGE	UP	2 3/32"	B	STANDARD	
5390G0007	HARDWICK	OC-010-146-99	C1990-007	HORZ.	FLANGE	UP	2 13/16"	B	STANDARD	
5390G????			C1990-MSL	HORZ.	FLANGE				STANDARD	SEND IN FOR R/B
5391G0001	SLATTERY	7930 TSP	C1991-001	VERT.	FLANGE	DOWN	2 13/16"	B	STANDARD	
5391G????			C1991-MSL	VERT.	FLANGE	UP		B	STANDARD	SEND IN FOR R/B
5392G3001	ROPER	324757 4333882 4334348	C1992-301	HORZ.	BOLT-THRU	DOWN	1 29/32"	B	STANDARD	3/8" INV. FLARE
5392G0001	BROWN	180-2A201	C1992-001	HORZ.	BOLT-THRU	UP	2 7/32"		STANDARD	
5392G0002	MAGIC CHEF MAGIC CHEF MAGIC CHEF MAGIC CHEF MAGIC CHEF MAGIC CHEF BROWN ATHENS	13LT-1182 13LT-316R 13LT-434 13LT-11AM 13LT-118M 1888-443 180-2A202 P-367-098	C1992-002	HORZ.	BOLT-THRU	DOWN	2 3/32"	B	STANDARD	
5392G3004	ROPER	334901 4337363	C1992-304	HORZ.	BOLT-THRU	DOWN	2 15/32"	B	STANDARD	3/8" INV. FLARE

DOMESTIC GAS THERMOSTATS

REMANUFACTURED REPLACEMENTS FOR HARPER WYMAN GST THERMOSTATS GENERATION IV



VERTICAL



HORIZONTAL

FEATURES:

1. TEMPERATURE RANGE 140°F-550°F / BROIL
2. LOCKING (PUSH TO TURN) CONSTRUCTION
3. 42" CAPILLARY
4. SELECTOR FOR LP OR NATURAL GAS
5. UNIVERSAL KNOB
6. 3/8" TUBE MAIN GAS OUTLET
7. 3/16" TUBE OVEN PILOT OUTLET
8. EXACT O.E.M. REPLACEMENTS

IDENTIFICATION CHART

OUR P/N PREFIX	HARPER P/N PREFIX	BODY STYLE	MOUNT	PILOT
C1990	5390	HORIZONTAL	FLANGE	STANDARD GAS
C1991	5391	VERTICAL	FLANGE	STANDARD GAS
C1992	5392	HORIZONTAL	BOLT-THRU	STANDARD GAS
C1993	5393	VERTICAL	BOLT-THRU	STANDARD GAS
C1994	5394	HORIZONTAL	FLANGE	SPARK
C1995	5395	VERTICAL	FLANGE	SPARK
C1996	5396	HORIZONTAL	BOLT-THRU	SPARK
C1997	5397	VERTICAL	BOLT-THRU	SPARK
C1963*	5363	VERTICAL	BOLT-THRU	STANDARD GAS
C1962*	5362	HORIZONTAL	BOLT-THRU	STANDARD GAS




HARPER P/N	O.E.M. NAME	O.E.M. P/N	STOCK NUMBER	BODY STYLE	MOUNT	STEM		DIAL A or B	IGNITION TYPE	COMMENTS
						FLAT	LGH			
5392G0001			C1992-MSL	HORZ.	FLANGE				STANDARD	SEND IN FOR R/B
5393G0001 5393G3001 5393G3002 5393G3004	ATHENS	P-367-064 P-367-070 P-367-081 P-367-087	C1993-001	VERT.	BOLT-THRU	DOWN	1 11/16"	A	STANDARD	
5393G0003	ATHENS PEERLESS	P-367-086 59575	C1993-003	VERT.	BOLT-THRU	DOWN	1 15/16"	B	STANDARD	
5393G????			C1993-MSL	VERT.	BOLT-THRU				STANDARD	SEND IN FOR R/B
5394G0002 5394G0008	MAGIC CHEF	1888-434	C1994-001	HORZ.	FLANGE	DOWN	1 11/16"	B	SPARK	
5394G0003 5394G0016		33-061059-01-0 33-061039-01-0	C1994-003	HORZ.	FLANGE	UP	2 1/16"	A	SPARK	
5394G0007 5394G0005 5394G0018	SLATTERY PEERLESS	040-10 1177	C1994-007	HORZ.	FLANGE	UP	2"	B	SPARK	
5394G0006	HARDWICK	OC-010-142-99 OC-010-141-99	C1994-006	HORZ.	FLANGE	DOWN	3 5/8"	B	SPARK	
5394G0009	HARDWICK	OC-010-147-99	C1994-009	HORZ.	FLANGE	UP	3"	B	SPARK	
5394G????			C1994-MSL	HORZ.	FLANGE				SPARK	SEND IN FOR R/B
5395G0001	SLATTERY	040-21 7930TSP	C1995-001	VERT.	FLANGE	DOWN	2 13/16"	B	SPARK	
5395G0003	GLENWOOD	75055-0 50-086984-13D 4157211	C1995-003	VERT.	FLANGE	DOWN	2"	A	SPARK	
5395G????			C1995-MSL	VERT.	FLANGE	DOWN			SPARK	SEND ON FOR R/B

DOMESTIC GAS THERMOSTATS

REMANUFACTURED REPLACEMENTS FOR HARPER WYMAN GST THERMOSTATS GENERATION IV



VERTICAL



HORIZONTAL

FEATURES:

1. TEMPERATURE RANGE 140°F-550°F / BROIL
2. LOCKING (PUSH TO TURN) CONSTRUCTION
3. 42" CAPILLARY
4. SELECTOR FOR LP OR NATURAL GAS
5. UNIVERSAL KNOB
6. 3/8" TUBE MAIN GAS OUTLET
7. 3/16" TUBE OVEN PILOT OUTLET
8. EXACT O.E.M. REPLACEMENTS


IDENTIFICATION CHART

OUR P/N PREFIX	HARPER P/N PREFIX	BODY STYLE	MOUNT	PILOT
C1990	5390	HORIZONTAL	FLANGE	STANDARD GAS
C1991	5391	VERTICAL	FLANGE	STANDARD GAS
C1992	5392	HORIZONTAL	BOLT-THRU	STANDARD GAS
C1993	5393	VERTICAL	BOLT-THRU	STANDARD GAS
C1994	5394	HORIZONTAL	FLANGE	SPARK
C1995	5395	VERTICAL	FLANGE	SPARK
C1996	5396	HORIZONTAL	BOLT-THRU	SPARK
C1997	5397	VERTICAL	BOLT-THRU	SPARK
C1963*	5363	VERTICAL	BOLT-THRU	STANDARD GAS
C1962*	5362	HORIZONTAL	BOLT-THRU	STANDARD GAS


HARPER P/N	O.E.M. NAME	O.E.M. P/N	STOCK NUMBER	BODY STYLE	MOUNT	STEM		DIAL A or B	IGNITION TYPE	COMMENTS
						FLAT	LGH			
5396G0001 5396G0002 5396G???? 5396G???? 5396G???? 5396G3003 5396G0004 5396G0005 5396G0006 5396G0007 5396G???? 5396G????	HARDWICK MAGIC CHEF MAGIC CHEF MAGIC CHEF GE/HOTPOINT ATHENS MAGIC CHEF MAGIC CHEF MAGIC CHEF MAGIC CHEF MAGIC CHEF MAGIC CHEF	OC-010-152-99 E13LT-118Z E13LT-118M 1888-432 WB00X6641 P-367-100 E13LT-31AM E13LT-11AM THS-004 EH13LT-838M 7515P013-60 7515P022-60	C1996-001	HORZ.	BOLT-THRU	DOWN	2"	B	SPARK	
5396G3002	ROPER	321983	C1996-302	HORZ.	BOLT-THRU	DOWN	2"	B	SPARK	3/8" INV. FLARE
5396G0010	GLENWOOD	75957-1 57349	C1996-010	HORZ.	BOLT-THRU	UP	2"	B	SPARK	
5396G0015		THS-010	C1996-015	HORZ.	BOLT-THRU	DOWN	2 1/2"	B	SPARK	3/8" INV. FLARE
5396G????			C1996-MSL	HORZ.	BOLT-THRU				SPARK	SEND IN FOR R/B
5397G0001 5397G0005 5397G0006 5397G3003	ATHENS	P-367-085 P-367-094 P-367-084	C1997-001	VERT.	BOLT-THRU	DOWN	1 15/16"	A	SPARK	
5397G3002 5397G0004 5397G3004	ROPER	318660 4332711	C1997-302	VERT.	BOLT-THRU	DOWN	1 29/32"	B	SPARK	3/8" INV. FLARE
5397G0007	SLATTERY WCI	7920 TSP 59713	C1997-007	VERT.	BOLT-THRU	UP	2 5/16"	B	SPARK	
5397G????			C1997-MSL	VERT.	BOLT-THRU				SPARK	SEND IN FOR R/B

DOMESTIC GAS THERMOSTATS

REMANUFACTURED REPLACEMENTS FOR HARPER WYMAN GST THERMOSTATS GENERATION IV



VERTICAL



HORIZONTAL

FEATURES:

1. TEMPERATURE RANGE 140°F-550°F / BROIL
2. LOCKING (PUSH TO TURN) CONSTRUCTION
3. 42" CAPILLARY
4. SELECTOR FOR LP OR NATURAL GAS
5. UNIVERSAL KNOB
6. 3/8" TUBE MAIN GAS OUTLET
7. 3/16" TUBE OVEN PILOT OUTLET
8. EXACT O.E.M. REPLACEMENTS

IDENTIFICATION CHART

OUR P/N PREFIX	HARPER P/N PREFIX	BODY STYLE	MOUNT	PILOT
C1990	5390	HORIZONTAL	FLANGE	STANDARD GAS
C1991	5391	VERTICAL	FLANGE	STANDARD GAS
C1992	5392	HORIZONTAL	BOLT-THRU	STANDARD GAS
C1993	5393	VERTICAL	BOLT-THRU	STANDARD GAS
C1994	5394	HORIZONTAL	FLANGE	SPARK
C1995	5395	VERTICAL	FLANGE	SPARK
C1996	5396	HORIZONTAL	BOLT-THRU	SPARK
C1997	5397	VERTICAL	BOLT-THRU	SPARK
C1963*	5363	VERTICAL	BOLT-THRU	STANDARD GAS
C1962*	5362	HORIZONTAL	BOLT-THRU	STANDARD GAS

HARPER P/N	O.E.M. NAME	O.E.M. P/N	STOCK NUMBER	BODY STYLE	MOUNT	STEM		DIAL A or B	IGNITION TYPE	COMMENTS
						FLAT	LGH			
5362G0002 5362G0003 5362G0010 5362G0012 5362G0011 5362G0001	WCI HARDWICK MAGIC CHEF MAGIC CHEF MAGIC CHEF GLENWOOD BROWN	52346 OC-010-153-99 7515P023-60 7515P033-60 7515P036-60 75956-02 180-28244	C1962-001	HORZ.	BOLT-THRU	UP	2"	B	STANDARD	1/8" NPT TOP BURNER PILOT OUTLET
5362G????			C1962-MSL	HORZ.	BOLT-THRU				STANDARD	
5363G0001	GLENWOOD WCI	75957-00 56112	C1963-001	VERT.	BOLT-THRU	UP	2"	B	STANDARD	
5363G????			C1963-MSL	VERT.	BOLT-THRU				STANDARD	

**SAVE YOUR CORES AND RETURN THEM
FOR CASH OR CREDIT.**



RECYCLING JUST MAKES CENTS